

An introduction to HTML

Recall that \LaTeX is referred to as a mark-up language.

Recall that \LaTeX is referred to as a mark-up language. \LaTeX commands annotate text to make it display in specified ways.

Recall that \LaTeX is referred to as a mark-up language. \LaTeX commands annotate text to make it display in specified ways. HTML is another mark-up language.

What is HTML?

HTML stands for 'HyperText Markup Language'.

HTML stands for 'HyperText Markup Language'. It is used mainly for creating webpages.

HTML stands for 'HyperText Markup Language'. It is used mainly for creating webpages. It allows easy formatting of paragraphs and headings

HTML stands for 'HyperText Markup Language'. It is used mainly for creating webpages. It allows easy formatting of paragraphs and headings and also commands specifically designed for webpages (hyperlinks etc.).

HTML stands for 'HyperText Markup Language'. It is used mainly for creating webpages. It allows easy formatting of paragraphs and headings and also commands specifically designed for webpages (hyperlinks etc.).

As with \LaTeX , HTML files are really just annotated text files.

HTML stands for 'HyperText Markup Language'. It is used mainly for creating webpages. It allows easy formatting of paragraphs and headings and also commands specifically designed for webpages (hyperlinks etc.).

As with \LaTeX , HTML files are really just annotated text files.

Here is a minimal HTML file.

Here is a minimal HTML file.

```
<html>  
<body>  
<p>Hello! I am a webpage.</p>  
</body>  
</html>
```

Here is a minimal HTML file.

```
<html>  
<body>  
<p>Hello! I am a webpage.</p>  
</body>  
</html>
```

By copying and pasting this into Notepad (or any other text editor) and saving it as `index.html`

Here is a minimal HTML file.

```
<html>  
<body>  
<p>Hello! I am a webpage.</p>  
</body>  
</html>
```

By copying and pasting this into Notepad (or any other text editor) and saving it as `index.html` you will create a basic webpage, which will open in a web-browser.

Here is a minimal HTML file.

```
<html>
<body>
<p>Hello! I am a webpage.</p>
</body>
</html>
```

By copying and pasting this into Notepad (or any other text editor) and saving it as `index.html` you will create a basic webpage, which will open in a web-browser.

Notice the similarities to \LaTeX 's environments, with each *tag* coming in an opening and closing pair

Here is a minimal HTML file.

```
<html>  
<body>  
<p>Hello! I am a webpage.</p>  
</body>  
</html>
```

By copying and pasting this into Notepad (or any other text editor) and saving it as `index.html` you will create a basic webpage, which will open in a web-browser.

Notice the similarities to \LaTeX 's environments, with each *tag* coming in an opening and closing pair (`<p>` and `</p>`, for example).

The material to be displayed is put between the `<body>` and `</body>` tags.

The material to be displayed is put between the `<body>` and `</body>` tags. (This part is called the *body* of the document.)

The material to be displayed is put between the `<body>` and `</body>` tags. (This part is called the *body* of the document.) Paragraphs are built up using the `<p>` and `</p>` tags.

The material to be displayed is put between the `<body>` and `</body>` tags. (This part is called the *body* of the document.) Paragraphs are built up using the `<p>` and `</p>` tags.

Headings come in 6 different weightings, and are made using the tags `<h1>` to `<h6>` (`<h1>` being the largest).

The material to be displayed is put between the `<body>` and `</body>` tags. (This part is called the *body* of the document.) Paragraphs are built up using the `<p>` and `</p>` tags.

Headings come in 6 different weightings, and are made using the tags `<h1>` to `<h6>` (`<h1>` being the largest).

Most content on a webpage is built up using these basic tags.


Folders and filepaths

Suppose you have created a webpage called `index.html` and saved it in a folder called `webpages`.

Suppose you have created a webpage called `index.html` and saved it in a folder called `webpages`. You may want to include an image on your page, called `logo.jpg`, say.

Suppose you have created a webpage called `index.html` and saved it in a folder called `webpages`. You may want to include an image on your page, called `logo.jpg`, say. Start by saving this in the `webpages` folder.

Suppose you have created a webpage called `index.html` and saved it in a folder called `webpages`. You may want to include an image on your page, called `logo.jpg`, say. Start by saving this in the `webpages` folder.



You can then include the image on your page with the command

You can then include the image on your page with the command

```

```

You can then include the image on your page with the command


```

```


(Note that the this tag is unusual in that it doesn't come in a pair.)

Suppose you decide you'd rather keep the images in a subfolder of webpages called `images`, to reduce clutter.

Suppose you decide you'd rather keep the images in a subfolder of webpages called `images`, to reduce clutter.




Suppose you decide you'd rather keep the images in a subfolder of webpages called images, to reduce clutter.




All you need to do is create the folder,

Suppose you decide you'd rather keep the images in a subfolder of webpages called images, to reduce clutter.




All you need to do is create the folder, move the logo.jpg file,

Suppose you decide you'd rather keep the images in a subfolder of webpages called `images`, to reduce clutter.



All you need to do is create the folder, move the `logo.jpg` file, then update your HTML to read

Suppose you decide you'd rather keep the images in a subfolder of webpages called `images`, to reduce clutter.



All you need to do is create the folder, move the `logo.jpg` file, then update your HTML to read

```

```

Here, `images/logo.jpg` is called the *URL* (uniform resource locator) of the image.

Here, `images/logo.jpg` is called the *URL* (uniform resource locator) of the image. More precisely, this is the *relative URL* of the image,

Here, `images/logo.jpg` is called the *URL* (uniform resource locator) of the image. More precisely, this is the *relative URL* of the image, as it tells the computer how to find the image starting from the folder in which the page itself sits.


Hyperlinks

One big reason that the world-wide web has been so successful is the provision of *hyperlinks* in webpages,


One big reason that the world-wide web has been so successful is the provision of *hyperlinks* in webpages, allowing users to click on words or images to get to new pages.

Suppose we have two webpages, `page1.html` and `page2.html`, both sitting in the same folder.

Suppose we have two webpages, page1.html and page2.html, both sitting in the same folder.




Suppose we have two webpages, `page1.html` and `page2.html`, both sitting in the same folder.




To create a hyperlink in `page1` which points to `page2`, we use

Suppose we have two webpages, page1.html and page2.html, both sitting in the same folder.



To create a hyperlink in page1 which points to page2, we use
`Click for page 2`

Suppose we have two webpages, page1.html and page2.html, both sitting in the same folder.




To create a hyperlink in page1 which points to page2, we use

```
<a href="page2.html">Click for page 2</a>
```

This creates the text 'Click for page 2' as a link.


Suppose we have two webpages, `page1.html` and `page2.html`, both sitting in the same folder.




To create a hyperlink in `page1` which points to `page2`, we use

```
<a href="page2.html">Click for page 2</a>
```

This creates the text 'Click for page 2' as a link. Notice that we've used a relative filepath.



If `page2.html` was inside a subfolder called `pages`, we would instead do



If page2.html was inside a subfolder called pages, we would instead do

```
<a href="pages/page2.html">Click for page 2</a>
```

Linking to external webpages, such as the BBC website, is also easy.

Linking to external webpages, such as the BBC website, is also easy. Here, we use an *absolute URL*:

Linking to external webpages, such as the BBC website, is also easy. Here, we use an *absolute URL*:

```
<a href="http://www.bbc.co.uk">BBC webpage</a>
```

Linking to external webpages, such as the BBC website, is also easy. Here, we use an *absolute URL*:

```
<a href="http://www.bbc.co.uk">BBC webpage</a>
```

It is best to use relative URLs within your own site, only using absolute URLs when you need to link to another website.

Linking to external webpages, such as the BBC website, is also easy. Here, we use an *absolute URL*:

```
<a href="http://www.bbc.co.uk">BBC webpage</a>
```

It is best to use relative URLs within your own site, only using absolute URLs when you need to link to another website.

Note the necessary `http://` part!

Filenames

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers)

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers) and never use spaces.

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers) and never use spaces.

Filenames must be identical in any links in the HTML code.

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers) and never use spaces.

Filenames must be identical in any links in the HTML code. Mixing the cases of letters leads to broken links or pictures not displaying.

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers) and never use spaces.

Filenames must be identical in any links in the HTML code. Mixing the cases of letters leads to broken links or pictures not displaying. Even if you get away with it on your computer, it won't work when your website goes live.

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers) and never use spaces.

Filenames must be identical in any links in the HTML code. Mixing the cases of letters leads to broken links or pictures not displaying. Even if you get away with it on your computer, it won't work when your website goes live.

Instead of using spaces you should use underscores, '_'.

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers) and never use spaces.

Filenames must be identical in any links in the HTML code. Mixing the cases of letters leads to broken links or pictures not displaying. Even if you get away with it on your computer, it won't work when your website goes live.

Instead of using spaces you should use underscores, '_'. For example, rather than naming a file 'My page 1.html'

Important!

When choosing names for HTML files or pictures you should only use lowercase letters (and/or numbers) and never use spaces.

Filenames must be identical in any links in the HTML code. Mixing the cases of letters leads to broken links or pictures not displaying. Even if you get away with it on your computer, it won't work when your website goes live.

Instead of using spaces you should use underscores, '_'. For example, rather than naming a file 'My page 1.html' you should go for 'my_page_1.html'.

Activity. (Spot the difference, with a difference.) The circulated HTML code almost corresponds to the code for the webpage linked from the course website (see Presentation Materials, Week 8). In pairs or threes, try to spot as many places as possible that the code is different from what's on screen.

Viewing the page source

It is possible to look at the source code for any HTML webpage you visit.

It is possible to look at the source code for any HTML webpage you visit. Some pages have complicated HTML, often generated by software.

It is possible to look at the source code for any HTML webpage you visit. Some pages have complicated HTML, often generated by software. On others you will find very plain HTML.

It is possible to look at the source code for any HTML webpage you visit. Some pages have complicated HTML, often generated by software. On others you will find very plain HTML.

To view the source, usually you can right-click on the page and select 'view source' (or similar).

It is possible to look at the source code for any HTML webpage you visit. Some pages have complicated HTML, often generated by software. On others you will find very plain HTML.

To view the source, usually you can right-click on the page and select 'view source' (or similar).

I expect most of the module webpages made by your lecturers will be simple to read, so you could have a look at those.

Structuring web pages

Some web pages are easier to navigate than others.

Some web pages are easier to navigate than others. A menu can help.

Some web pages are easier to navigate than others. A menu can help. Another option is a site-map, which lists the entire content of the site.

Some web pages are easier to navigate than others. A menu can help. Another option is a site-map, which lists the entire content of the site.

Try to structure websites logically, and avoid lots of links to pages that don't appear on a menu.

Some web pages are easier to navigate than others. A menu can help. Another option is a site-map, which lists the entire content of the site.

Try to structure websites logically, and avoid lots of links to pages that don't appear on a menu. When marking student websites, sometimes it's hard to be sure every page has been read!

Semester 1 mini-project

The deadline for submitting the mini-project was last night.

The deadline for submitting the mini-project was last night. If you didn't submit on time, please contact me urgently.

Next week we will release the projects for marking.

Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework.

Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework. Here are some guidelines.

Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework. Here are some guidelines.

- You might want to print out the PDFs so that you can write on them.

Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework. Here are some guidelines.

- You might want to print out the PDFs so that you can write on them. Print 2-to-a-page or double-sided to save money and paper.

Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework. Here are some guidelines.

- You might want to print out the PDFs so that you can write on them. Print 2-to-a-page or double-sided to save money and paper.
- You should try running the Python script, by downloading it to your computer (right-click, save-as).

Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework. Here are some guidelines.

- You might want to print out the PDFs so that you can write on them. Print 2-to-a-page or double-sided to save money and paper.
- You should try running the Python script, by downloading it to your computer (right-click, save-as). You don't need to print this out unless you want to.

Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework. Here are some guidelines.

- You might want to print out the PDFs so that you can write on them. Print 2-to-a-page or double-sided to save money and paper.
- You should try running the Python script, by downloading it to your computer (right-click, save-as). You don't need to print this out unless you want to.
- You only need to look at the \LaTeX file if you spot a problem, or are interested in how things have been done.





Next week we will release the projects for marking. Once we have done this, when you log-in the upload system you will see four projects that you must read and comment on as homework. Here are some guidelines.

- You might want to print out the PDFs so that you can write on them. Print 2-to-a-page or double-sided to save money and paper.
- You should try running the Python script, by downloading it to your computer (right-click, save-as). You don't need to print this out unless you want to.
- You only need to look at the \LaTeX file if you spot a problem, or are interested in how things have been done.
- You must leave comments on what was good about the project and what can be improved in the upload system.

MAS115: Project Uploads

Mini Project 1	Thu 12 Nov, 01:00 am	Past deadline	View pdf , tex , py		
----------------	----------------------	---------------	---	--	--

You are in Group 0

TO MARK		
	View pdf , tex , py	Leave feedback
	View pdf , tex , py	Leave feedback
		
		

MAS115: Peer feedback

You should leave feedback on Mini Project 1 for 14026 below. You should comment on each of the programming, the extension, the typesetting (LaTeX) and the standard of writing. These comments will be read by the student.

What was good about this project?

What could be improved?

Save peer feedback

Save and view peer feedback

- You don't need to think of a mark yet.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.
- Please don't be too harsh on the author.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.
- Please don't be too harsh on the author. They may not speak English as a first language or may be struggling with computer programming.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.
- Please don't be too harsh on the author. They may not speak English as a first language or may be struggling with computer programming.
- Important: Make a note of your group number and bring your comments with you to the Week 10 lecture.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.
- Please don't be too harsh on the author. They may not speak English as a first language or may be struggling with computer programming.
- Important: Make a note of your group number and bring your comments with you to the Week 10 lecture. You will discuss the projects in groups in the Week 10 lecture.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.
- Please don't be too harsh on the author. They may not speak English as a first language or may be struggling with computer programming.
- Important: Make a note of your group number and bring your comments with you to the Week 10 lecture. You will discuss the projects in groups in the Week 10 lecture.
- You will receive 2 marks for taking part in the Week 10 peer assessment.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.
- Please don't be too harsh on the author. They may not speak English as a first language or may be struggling with computer programming.
- Important: Make a note of your group number and bring your comments with you to the Week 10 lecture. You will discuss the projects in groups in the Week 10 lecture.
- You will receive 2 marks for taking part in the Week 10 peer assessment. To receive these marks you must complete comments online and attend the session.

- You don't need to think of a mark yet. You will, as a group, agree on marks and overall comments in the Week 10 presentation lecture.
- Please don't be too harsh on the author. They may not speak English as a first language or may be struggling with computer programming.
- Important: Make a note of your group number and bring your comments with you to the Week 10 lecture. You will discuss the projects in groups in the Week 10 lecture.
- You will receive 2 marks for taking part in the Week 10 peer assessment. To receive these marks you must complete comments online and attend the session.

If you are unsure on what you are supposed to do, please contact me.

About the Week 8 Computer Lab

In this week's computer lab we'll start looking at HTML and create some basic webpages.